

APPLICATION_TYPES

Constants Summery

Number [#HEADLESS_CLIENT](#)
Constant for application type headless_client.

Number [#RUNTIME_CLIENT](#)
Constant for application type runtime_client.

Number [#SMART_CLIENT](#)
Constant for application type smart_client.

Number [#WEB_CLIENT](#)
Constant for application type web_client.

Constants Details

HEADLESS_CLIENT

Constant for application type headless_client.

Returns

Number

Sample

```
if (application.getApplicationType() == APPLICATION_TYPES.HEADLESS_CLIENT)
{
    //we are in headless_client
}
```

RUNTIME_CLIENT

Constant for application type runtime_client.

Returns

Number

Sample

```
if (application.getApplicationType() == APPLICATION_TYPES.RUNTIME_CLIENT)
{
    //we are in runtime_client
}
```

SMART_CLIENT

Constant for application type smart_client.

Returns

Number

Sample

```
if (application.getApplicationType() == APPLICATION_TYPES.SMART_CLIENT)
{
    //we are in smart_client
}
```

WEB_CLIENT

Constant for application type web_client.

Returns

Number

Sample

```
if (application.getApplicationType() == APPLICATION_TYPES.WEB_CLIENT)
{
    //we are in web_client
}
```