

RelationInfo

Method Summary

void [#setLabel\(label\)](#)
Sets the label of a relation info object used to set multiple child relations for a tree node.

void [#setNRelationName\(relationName\)](#)
Sets the name of a relation info object used to set multiple child relations for a tree node.

Method Details

[setLabel](#)

void **setLabel**(label)

Sets the label of a relation info object used to set multiple child relations for a tree node.

Parameters

label

Returns

void

Sample

```
var companies_binding = elements.myDbTreeView.createBinding('example_data', 'companies');
var company_relations = new Array();
company_relations[0] = elements.myDbTreeView.createRelationInfo();
company_relations[0].setLabel('Employees');
company_relations[0].setNRelationName('companies_to_employees');
companies_binding.setNRelationInfos(company_relations);
```

[setNRelationName](#)

void **setNRelationName**(relationName)

Sets the name of a relation info object used to set multiple child relations for a tree node.

Parameters

relationName

Returns

void

Sample

```
var companies_binding = elements.myDbTreeView.createBinding('example_data', 'companies');
var company_relations = new Array();
company_relations[0] = elements.myDbTreeView.createRelationInfo();
company_relations[0].setLabel('Employees');
company_relations[0].setNRelationName('companies_to_employees');
companies_binding.setNRelationInfos(company_relations);
```