SQL_ACTION_TYPES

Constants Summary

Number #DELETE_ACTION
Constant for the "delete" SQL action.

Number #INSERT_ACTION
Constant for the "insert" SQL action.

Number #NO_ACTION
Constant expressing that no SQL action took place.

Number #SELECT_ACTION
Constant for the "select" SQL action.

Number #UPDATE_ACTION
Constant for the "update" SQL action.

Constants Details

DELETE_ACTION
Constant for the "delete" SQL action.
Returns
Number
Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
        application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
        application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
        application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
        application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
        application.output("it was nothing");
else
        application.output("what was this?");
```

INSERT_ACTION
Constant for the "insert" SQL action.
Returns
Number
Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
        application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
        application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
        application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
        application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
        application.output("it was nothing");
else
        application.output("what was this?");
```

NO_ACTION
Constant expressing that no SQL action took place.
Returns
Number

Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
        application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
        application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
        application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
        application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
        application.output("it was nothing");
else
        application.output("what was this?");
```

SELECT_ACTION
Constant for the "select" SQL action.
Returns
Number
Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
        application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
        application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
        application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
        application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
        application.output("it was nothing");
else
        application.output("what was this?");
```

UPDATE_ACTION
Constant for the "update" SQL action.
Returns
Number
Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
        application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
        application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
        application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
        application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
        application.output("it was nothing");
else
        application.output("what was this?");
```