Solution

Event Summary

	onOpen The method that is executed when a solution opens.

Property Summary

Number	firstForm The first form that loads when a solution is deployed.
String	i18nDataSource The i18n database server connection and database table that stores the i18n keys for a solution.
Number	loginForm The name of the login form that loads when a solution is deployed.
String	modulesNames The list of modules that have been added to a solution.
Boolean	mustAuthenticate Flag that tells if authentication is needed in order to access the solution.
Number	solutionType The type of a solution; can be "Normal" (non-module), "Module", "Web client only", "Smart client only", "Login", "Authenticator", "Pre-import hook module", "Post-import hook module", "Mobile".

Event Details

onOpen
The method that is executed when a solution opens. The default is -none-.

Property Details

firstForm
The first form that loads when a solution is deployed.

NOTE: If the Login form is specified, then the firstForm is the first form that will load next after the loginForm.

Returns

Number

i18nDataSource
The i18n database server connection and database table that stores the i18n keys for a solution.

Returns

String

loginForm
The name of the login form that loads when a solution is deployed.

Returns

Number

modulesNames
The list of modules that have been added to a solution.

Returns

String

mustAuthenticate

Flag that tells if authentication is needed in order to access the solution.

To enforce a default Servoy user name and password login dialog; if set a login dialog is required, if unchecked no login dialog is required.

Returns

Boolean

solutionType

The type of a solution; can be "Normal" (non-module), "Module", "Web client only", "Smart client only",
"Login", "Authenticator", "Pre-import hook module", "Post-import hook module", "Mobile".
These constants are defined in SolutionMetaData class.

Returns

Number