

# CheckBoxes

## Event Summary

	<a href="#">onAction</a> The method that is executed when the component is clicked.
<a href="#">Boolean</a>	<a href="#">onDataChange</a> Method that is executed when the data in the component is successfully changed.

## Property Summary

<a href="#">String</a>	<a href="#">dataProvider</a> The dataprovider of the component.
<a href="#">Number</a>	<a href="#">displayType</a> The type of display used by the field.
<a href="#">Boolean</a>	<a href="#">enabled</a> The enable state of the component, default true.
<a href="#">String</a>	<a href="#">location</a> The x and y position of the component, in pixels, separated by a comma.
<a href="#">String</a>	<a href="#">name</a> The name of the component.
<a href="#">String</a>	<a href="#">styleClass</a> The name of the style class that should be applied to this component.
<a href="#">String</a>	<a href="#">titleDataProvider</a> Dataprovider for header text to field component
<a href="#">Boolean</a>	<a href="#">titleDisplaysTags</a> Flag for header text to field component that enables or disables merging of data inside components using tags (placeholders).
<a href="#">String</a>	<a href="#">titleText</a> Header text to component
<a href="#">Number</a>	<a href="#">valuelist</a> The valuelist that is used by this field when displaying data.
<a href="#">Boolean</a>	<a href="#">visible</a> The visible property of the component, default true.

## Event Details

### onAction

The method that is executed when the component is clicked.

### onDataChange

Method that is executed when the data in the component is successfully changed.

#### Parameters

oldValue - old value  
newValue - new value  
{[JSEvent](#)} event - the event that triggered the action

#### Returns

[Boolean](#)

## Property Details

### dataProvider

The dataprovider of the component.

#### Returns

[String](#)

## displayType

The type of display used by the field. Can be one of CALENDAR, CHECKS, COMBOBOX, HTML\_AREA, IMAGE\_MEDIA, PASSWORD, RADIOS, RTF\_AREA, TEXT\_AREA, TEXT\_FIELD, TYPE\_AHEAD, LIST\_BOX, MULTISELECT\_LISTBOX or SPINNER.

### Returns

Number

## enabled

The enable state of the component, default true.

### Returns

Boolean - enabled state

## location

The x and y position of the component, in pixels, separated by a comma.

### Returns

String

## name

The name of the component. Through this name it can also accessed in methods.

### Returns

String

## styleClass

The name of the style class that should be applied to this component.

When defining style classes for specific component types, their names must be prefixed according to the type of the component. For example in order to define a class names 'fancy' for fields, in the style definition the class must be named 'field.fancy'. If it would be intended for labels, then it would be named 'label.fancy'. When specifying the class name for a component, the prefix is dropped however. Thus the field or the label will have its styleClass property set to 'fancy' only.

### Returns

String

## titleDataProvider

Dataprovider for header text to field component

### Returns

String

## titleDisplaysTags

Flag for header text to field component that enables or disables merging of data inside components using tags (placeholders).

Tags (or placeholders) are words surrounded by %% on each side. There are data tags and standard tags. Data tags consist in names of dataproviders surrounded by %%. Standard tags are a set of predefined tags that are made available by the system.

See the "Merging data" section for more details about tags.

The default value of this flag is "false", that is merging of data is disabled by default.

### Returns

Boolean

## titleText

Header text to component

### Returns

String

## valuelist

The valuelist that is used by this field when displaying data. Can be used with fields of type CHECKS, COMBOBOX, RADIOS and TYPE\_AHEAD.

### Returns

Number

**visible**

The visible property of the component, default true.

**Returns**

[Boolean](#) - visible property