

InsetList

Event Summary

[onAction](#)
The method that is executed when the component is clicked.

Property Summary

String	countDataProvider Dataprovider for countbubble in list.
String	dataIconDataProvider Dataprovider for icon type in list.
String	dataIconType Icon type for list.
String	headerDataProvider Dataprovider for header text in inset list.
String	headerStyleClass The styleClass of the header.
String	headerText Header text property for inset list.
String	listStyleClass The styleClass of the list.
String	location The x and y position of the component, in pixels, separated by a comma.
String	name The name of the component.
String	relationName The name of the relationship between the table related to the currently active form and the table you want to show data from in the inset list.
String	subtext Text property for sub text in list.
String	subtextDataProvider Dataprovider for sub text in list.
String	text Text property for main text in list.
String	textDataProvider Dataprovider for main text in list.

Event Details

onAction
The method that is executed when the component is clicked.

Property Details

countDataProvider
Dataprovider for countbubble in list.
Returns

[String](#)

dataIconDataProvider
Dataprovider for icon type in list. Overrides dataIconType property.
Returns

[String](#)

dataIconType

Icon type for list.

Possible values:

alert
arrow-d
arrow-l
arrow-r
arrow-u
back
bars
check
delete
edit
forward
gear
grid
home
info
minus
plus
refresh
search
star

Returns

[String](#)

headerDataProvider

Dataprovider for header text in inset list. Overrides headerText property.

Returns

[String](#)

headerStyleClass

The styleClass of the header.

Returns

[String](#)

headerText

Header text property for inset list.

Returns

[String](#)

listStyleClass

The styleClass of the list.

Returns

[String](#)

location

The x and y position of the component, in pixels, separated by a comma.

Returns

[String](#)

name

The name of the component. Through this name it can also accessed in methods.

Returns

[String](#)

relationName

The name of the relationship between the table related to the currently active form and the table you want to show data from in the inset list.

Returns

[String](#)

subtext

Text property for sub text in list.

Returns

[String](#)

subtextDataProvider

Dataprovider for sub text in list. Overrides subtext property.

Returns

[String](#)

text

Text property for main text in list.

Returns

[String](#)

textDataProvider

Dataprovider for main text in list. Overrides text property.

Returns

[String](#)