

SQL_ACTION_TYPES

Constants Summary

Number	#DELETE_ACTION	Constant for the "delete" SQL action.
Number	#INSERT_ACTION	Constant for the "insert" SQL action.
Number	#NO_ACTION	Constant expressing that no SQL action took place.
Number	#SELECT_ACTION	Constant for the "select" SQL action.
Number	#UPDATE_ACTION	Constant for the "update" SQL action.

Constants Details

DELETE_ACTION

Constant for the "delete" SQL action.

Returns

Number

Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
    application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
    application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
    application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
    application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
    application.output("it was nothing");
else
    application.output("what was this?");
```

INSERT_ACTION

Constant for the "insert" SQL action.

Returns

Number

Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
    application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
    application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
    application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
    application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
    application.output("it was nothing");
else
    application.output("what was this?");
```

NO_ACTION

Constant expressing that no SQL action took place.

Returns

Number

Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
    application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
    application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
    application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
    application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
    application.output("it was nothing");
else
    application.output("what was this?");
```

SELECT_ACTION

Constant for the "select" SQL action.

Returns

Number

Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
    application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
    application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
    application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
    application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
    application.output("it was nothing");
else
    application.output("what was this?");
```

UPDATE_ACTION

Constant for the "update" SQL action.

Returns

Number

Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
    application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
    application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
    application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
    application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
    application.output("it was nothing");
else
    application.output("what was this?");
```