JSRenderEvent



Apr 04, 2024 01:09

Supported Clients

SmartClient WebClient

Methods Summary

JSRecord getRecord() Returns the record of the element that is being rendered. Number getRecordIndex() Returns the record index of the element that is being rendered.

Renderable getRenderable() Returns the element that is being rendered.

Returns whether or not the element that is being rendered has focus. Boolean hasFocus() Returns whatever or not the record of the element that is being rendered is isRecordSelected() **Boolean**

selected.

Methods Details

getRecord()

Returns the record of the element that is being rendered. This is null for elements of type form when they are in table view mode.

Returns

JSRecord Record of the element that is being rendered

Supported Clients

SmartClient,WebClient

Sample

```
// type the record returned from the call with JSDoc, fill in the right server/tablename
/** @type {JSRecord<db:/servername/tablename>} */
var record = event.getRecord();
```

getRecordIndex()

Returns the record index of the element that is being rendered.

Returns

Number record index of the element that is being rendered

Supported Clients

SmartClient, WebClient

Sample

```
event.getRecordIndex()
```

getRenderable()

Returns the element that is being rendered.

Renderable Renderable the element that is being rendered

Supported Clients

SmartClient, WebClient

Sample

```
event.getRenderable();
```

hasFocus()

Returns whether or not the element that is being rendered has focus.

Returns

Boolean true if the element that is being rendered has the focus, false otherwise

Supported Clients

SmartClient,WebClient

Sample

event.hasFocus();

isRecordSelected()

Returns whatever or not the record of the element that is being rendered is selected.

Returns

Boolean true if the record of the element that is being rendered is selected

Supported Clients

SmartClient,WebClient

Sample

event.isRecordSelected()