InsetList

Feb 28, 2024 22:22

Supported Clients

NGClient MobileClient

Property Summary

String	headerDataProvider	Dataprovider for header text in inset list.
String	headerStyleClass	The styleClass of the header.
String	headerText	Header text property for inset list.
String	location	The x and y position of the component, in pixels, separated by a comma.
String	name	The name of the component.
String	relationName	The name of the relationship between the table related to the currently active form and the table you want to show data from in the inset list.

Property Details

headerDataProvider

`Dataprovider for header text in inset list. Overrides headerText property.`

Returns

String

Supported Clients

NGClient,MobileClient

Sample

headerStyleClass

`The styleClass of the header.`

Returns

String

Supported Clients

NGClient,MobileClient

Sample

headerText

`Header text property for inset list.`

Returns

String

Supported Clients

NGClient,MobileClient

Sample

location

`The x and y position of the component, in pixels, separated by a comma.`

Returns

String

Supported Clients

NGClient,MobileClient

Sample

name

The name of the component. Through this name it can also accessed in methods.

Returns

String

Supported Clients

NGClient,MobileClient

Sample

relationName

The name of the relationship between the table related to the currently active form and the table you want to show data from in the inset list.

Returns

String

Supported Clients

NGClient,MobileClient

Sample