

# Tab

## Property Summery

Number	<a href="#">#containsForm</a>	The name of the form displayed in the tab.
String	<a href="#">#foreground</a>	The foreground color of the tab.
Number	<a href="#">#imageMedia</a>	The name of the image Media file used.
String	<a href="#">#name</a>	The name of the tab.
String	<a href="#">#relationName</a>	The name of the relation that links the form which contains the tab with the form displayed in the tab.
String	<a href="#">#text</a>	The text on the tab.
String	<a href="#">#toolTipText</a>	The text displayed when hovering over the component with a mouse cursor.

## Property Details

`containsForm`

The name of the form displayed in the tab.

### Returns

[Number](#)

`foreground`

The foreground color of the tab.

### Returns

[String](#)

`imageMedia`

The name of the image Media file used.

### Returns

[Number](#)

`name`

The name of the tab.

### Returns

[String](#)

`relationName`

The name of the relation that links the form which contains the tab with the form displayed in the tab.

### Returns

[String](#)

`text`

The text on the tab.

### Returns

[String](#)

`toolTipText`

The text displayed when hovering over the component with a mouse cursor.

### NOTE:

HTML should be used for multi-line tooltips; you can also use any

valid HTML tags to format tooltip text. For example:

`<html>This includes<b>bolded text</b> and`  
`<font color='blue'>BLUE</font> text as well.</html>`

### Returns

[String](#)