

# SQL\_ACTION\_TYPES

## Constants Summary

Number	<a href="#">#DELETE_ACTION</a>	Constant for the "delete" SQL action.
Number	<a href="#">#INSERT_ACTION</a>	Constant for the "insert" SQL action.
Number	<a href="#">#NO_ACTION</a>	Constant expressing that no SQL action took place.
Number	<a href="#">#SELECT_ACTION</a>	Constant for the "select" SQL action.
Number	<a href="#">#UPDATE_ACTION</a>	Constant for the "update" SQL action.

## Constants Details

### DELETE\_ACTION

Constant for the "delete" SQL action.

#### Returns

Number

#### Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
    application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
    application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
    application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
    application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
    application.output("it was nothing");
else
    application.output("what was this?");
```

### INSERT\_ACTION

Constant for the "insert" SQL action.

#### Returns

Number

#### Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
    application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
    application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
    application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
    application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
    application.output("it was nothing");
else
    application.output("what was this?");
```

### NO\_ACTION

Constant expressing that no SQL action took place.

#### Returns

Number

### Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
    application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
    application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
    application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
    application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
    application.output("it was nothing");
else
    application.output("what was this?");
```

### SELECT\_ACTION

Constant for the "select" SQL action.

### Returns

[Number](#)

### Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
    application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
    application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
    application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
    application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
    application.output("it was nothing");
else
    application.output("what was this?");
```

### UPDATE\_ACTION

Constant for the "update" SQL action.

### Returns

[Number](#)

### Sample

```
if (action == SQL_ACTION_TYPES.INSERT_ACTION)
    application.output("it was an insert");
else if (action == SQL_ACTION_TYPES.DELETE_ACTION)
    application.output("it was a delete");
else if (action == SQL_ACTION_TYPES.UPDATE_ACTION)
    application.output("it was an update");
else if (action == SQL_ACTION_TYPES.SELECT_ACTION)
    application.output("it was a select");
else if (action == SQL_ACTION_TYPES.NO_ACTION)
    application.output("it was nothing");
else
    application.output("what was this?");
```