


ValueList

 Apr 03, 2024 05:09

Supported Clients

SmartClient WebClient NGClient MobileClient

Property Summary		
Number	addEmptyValue	Property that tells if an empty value must be shown next to the items in the value list.
String	comment	A string with the elements in the valuelist. This is the dataprovider selected in the fist list of dataproviders when a table or related valuelist is selected. This is the dataprovider selected in the last list of dataproviders when a table or related valuelist is selected. This is the dataprovider selected in the last list of dataproviders when a table or related valuelist is selected. Compact representation of the names of the server and table that are used for loading the data from the database. Gets the deprecate info for this element The type of the display value if this is a global or custom valuelist, servoy needs to know this for formatting purposes The encapsulation mode of this Valuelist. If the valuelist only displays the "active" values that a user can choose, but you still need to be able to show also old values, then a fallback valuelist should be set. A property special for NGClient and GlobalValuelist to only query the global valuelist when it is needed. The name of the value list. The type of the real value if this is a global or custom valuelist, servoy needs to know this so it can check if the types match on the record it is binded to. The name of the relation that is used for loading data from the database. Which of the dataprovers should be used as the return dataprovider, so set back into the records dataprovider. A String representing the separator that should be used when multiple display dataproviders are set, when the value list has the type set to database values. Gets the showDataProvider. Sort options that are applied when the valuelist loads its data from the database. Flag that tells if the name of the valuelist should be applied as a filter on the 'valuelist_name' column when retrieving the data from the database. The type of the valuelist.
String	customValues	
String	dataProviderID1	
String	dataProviderID2	
String	dataProviderID3	
String	dataSource	
String	deprecated	
Number	displayValueType	
Number	encapsulation	
Number	fallbackValueList	
Boolean	lazyLoading	
String	name	
Number	realValueType	
String	relationName	
Number	returnDataProviders	
String	separator	
Number	showDataProviders	
String	sortOptions	
Boolean	useTableFilter	
Number	valueListType	

Property Details

addEmptyValue
Property that tells if an empty value must be shown next to the items in the value list.

Returns

Number

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample

comment

Returns

String

Supported Clients

SmartClient,WebClient,NGClient

Sample

customValues

A string with the elements in the valuelist. The elements can be separated by linefeeds (custom1 custom2), optional with realvalues ((custom1|1 custom2|2)).

Returns

[String](#)

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample**dataProviderID1**

This is the dataprovider selected in the first list of dataproviders when a table or related valuelist is selected.

This dataprovide can be marked as a display and/or return value

Returns

[String](#) Returns a String

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample**dataProviderID2**

This is the dataprovider selected in the last list of dataproviders when a table or related valuelist is selected.

This dataprovide can be marked as a display and/or return value

Returns

[String](#) Returns a String

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample**dataProviderID3**

This is the dataprovider selected in the last list of dataproviders when a table or related valuelist is selected.

This dataprovide can be marked as a display and/or return value

Returns

[String](#) Returns a String

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample**dataSource**

Compact representation of the names of the server and table that are used for loading the data from the database.

Returns

[String](#)

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample**deprecated**

Gets the deprecate info for this element

Returns

[String](#) the deprecate info for this element or null if it is not deprecated

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample**displayValueType**

The type of the display value if this is a global or custom valuelist, servoy needs to know this for formatting purposes

Returns

[Number](#)

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample**encapsulation**

The encapsulation mode of this Valuelist. The following can be used:

- Public (available in both scripting and designer from any module)
- Module Scope - available in both scripting and designer but only in the same module.

Returns

[Number](#) the encapsulation mode/level of the persist.

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample**fallbackValueList**

If the valuelist only displays the "active" values that a user can choose, but you still need to be able to show also old values, then a fallback valuelist should be set.

So that there is a backup list for getting a display value for a real value that is not in the normal valuelist anymore.

Returns

[Number](#) the valueback valuelist id.

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample**lazyLoading**

A property special for NGClient and GlobalValuelist to only query the global valuelist when it is needed. This flag has to be set both on valuelist and in component spec, on the valuelist property.

IMPORTANT: Usage of real & display values is not fully supported with lazy loading. Don't set lazy load if your method returns both real and display values

This is because very likely we do need directly the display value for the given real to display its value..

Returns

[Boolean](#)

Supported Clients

NGClient

Sample**name**

The name of the value list.

It is relevant when the "useTableFilter" property is set.

Returns[String](#)**Supported Clients**

SmartClient,WebClient,NGClient,MobileClient

Sample
realValueType

The type of the real value if this is a global or custom valuelist, servoy needs to know this so it can check if the types match on the record it is binded to.

Returns[Number](#)**Supported Clients**

SmartClient,WebClient,NGClient,MobileClient

Sample
relationName

The name of the relation that is used for loading data from the database.

Returns[String](#)**Supported Clients**

SmartClient,WebClient,NGClient,MobileClient

Sample
returnDataProviders

Which of the dataprovers should be used as the return dataprovider, so set back into the records dataprovider.

Returns[Number](#) Returns a int**Supported Clients**

SmartClient,WebClient,NGClient,MobileClient

Sample
separator

A String representing the separator that should be used when multiple display dataproviders are set, when the value list has the type set to database values.

Returns[String](#)**Supported Clients**

SmartClient,WebClient,NGClient,MobileClient

Sample
showDataProviders

Gets the showDataProvider.

Returns[Number](#) Returns a int**Supported Clients**

SmartClient,WebClient,NGClient,MobileClient

Sample

sortOptions

Sort options that are applied when the valuelist loads its data from the database.

Returns

[String](#)

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample**useTableFilter**

Flag that tells if the name of the valuelist should be applied as a filter on the 'valuelist_name' column when retrieving the data from the database.

Returns

[Boolean](#)

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample**valueListType**

The type of the valuelist. Can be either custom values or database values.

Returns

[Number](#)

Supported Clients

SmartClient,WebClient,NGClient,MobileClient

Sample