Bean

Property Summery

Number	#anchors	Enables a component to stick to a specific side of form and/or to grow or shrink when a window is resized.
String	#location	The x and y position of the component, in pixels, separated by a comma.
String	#name	The identifying name of the item.
Boolean	#printable	Flag that tells if the component should be printed or not when the form is printed.
String	#size	The width and height (in pixels), separated by a comma.
Number	#tabSeq	An index that specifies the position of the component in the tab sequence.

Property Details

anchors

Enables a component to stick to a specific side of form and/or to
grow or shrink when a window is resized.

If opposite anchors are activated then the component with grow or
shrink with the window. For example if Top and Bottom are activated,
then the component will grow/shrink when the window is vertically
resized. If Left and Right are activated then the component
will grow/shrink when the window is horizontally resized.

If opposite anchors are not activated, then the component will
keep a constant distance from the sides of the window which
correspond to the activated anchors.
Returns
Number

location

The x and y position of the component, in pixels, separated by a comma.
Returns
String

name

The identifying name of the item.
Returns
String

printable

Flag that tells if the component should be printed or not when the form is printed.

By default components are printable.
Returns
Boolean

size

The width and height (in pixels), separated by a comma.
Returns
String

tabSeq

An index that specifies the position of the component in the tab sequence. The components
are put into the tab sequence in increasing order of this property. A value of 0 means
to use the default mechanism of building the tab sequence (based on their location on the form).
A value of -2 means to remove the component from the tab sequence.
Returns
Number