

agent



Apr 07, 2024 13:22

Supported Clients

SmartClient

Property Summary

Number x	Gets or sets the x position of the agent.
Number y	Gets or sets the y position of the agent.

Methods Summary

void	setBalloonSize(width, height)	Sets the size of the balloon.
void	setImageURL(url)	Sets a new image for the agent.
void	setLocation(x, y)	Sets the location of the agent.
void	setVisible(visible)	Show/hides the agent.
void	speak(message)	Makes the agent speak.

Property Details

x
Gets or sets the x position of the agent.

Returns

Number

Supported Clients

SmartClient

Sample

```
//move the agent diagonaly
plugins.agent.x = plugins.agent.x-10;
plugins.agent.y = plugins.agent.y-10;
```

y
Gets or sets the y position of the agent.

Returns

Number

Supported Clients

SmartClient

Sample

```
//move the agent diagonaly
plugins.agent.x = plugins.agent.x-10;
plugins.agent.y = plugins.agent.y-10;
```

Methods Details

setBalloonSize(width, height)
Sets the size of the balloon.

Parameters

Number width ;
Number height ;

Supported Clients

SmartClient

Sample

```
plugins.agent.setBalloonSize(width,height)
```

setImageUrl(url)

Sets a new image for the agent.

Parameters

`String` url;

Supported Clients

SmartClient

Sample

```
plugins.agent.setImageURL("url")
```

setLocation(x, y)

Sets the location of the agent.

Parameters

`Number` x;

`Number` y;

Supported Clients

SmartClient

Sample

```
plugins.agent.setLocation(100,100);
```

setVisible(visible)

Show/hides the agent.

Parameters

`Boolean` visible;

Supported Clients

SmartClient

Sample

```
plugins.agent.setVisible(true);
```

speak(message)

Makes the agent speak.

Parameters

`String` message;

Supported Clients

SmartClient

Sample

```
plugins.agent.speak('hello nerd');
```