

Tab

 Apr 04, 2024 16:26

Supported Clients

SmartClient WebClient NGClient

Property Summary		
Number	containsForm	The name of the form displayed in the tab.
String	foreground	The foreground color of the tab.
Number	imageMedia	The name of the image Media file used.
String	mnemonic	Mnemonic used to switch to tab.
String	name	The name of the tab.
String	relationName	The name of the relation that links the form which contains the tab with the form displayed in the tab.
String	text	The text on the tab.
String	toolTipText	The text displayed when hovering over the component with a mouse cursor.

Property Details

containsForm
The name of the form displayed in the tab.

Returns

Number

Supported Clients

SmartClient,WebClient,NGClient

Sample

foreground
The foreground color of the tab.

Returns

String

Supported Clients

SmartClient,WebClient,NGClient

Sample

imageMedia
The name of the image Media file used.

Returns

Number

Supported Clients

SmartClient,WebClient,NGClient

Sample

mnemonic
Mnemonic used to switch to tab.

Returns

String

Supported Clients

SmartClient,WebClient,NGClient

Sample

name

The name of the tab.

Returns

[String](#)

Supported Clients

SmartClient,WebClient,NGClient

Sample**relationName**


The name of the relation that links the form which contains the tab with the form displayed in the tab.

Returns

[String](#)

Supported Clients

SmartClient,WebClient,NGClient

Sample**text**


The text on the tab.

Returns

[String](#)

Supported Clients

SmartClient,WebClient,NGClient

Sample**toolTipText**

The text displayed when hovering over the component with a mouse cursor.

NOTE:

HTML should be used for multi-line tooltips; you can also use any valid HTML tags to format tooltip text. For example:

```
<html>This includes<b>bolded text</b> and  
<font color='blue'>BLUE</font> text as well.</html>
```

Returns

[String](#)

Supported Clients

SmartClient,WebClient,NGClient

Sample