

Application

Return Types

[DRAGNDROP](#) [JSDNDEvent](#) [JSEvent](#) [JSRenderEvent](#) [JSWindow](#) [APPLICATION_TYPES](#) [CLIENTDESIGN](#) [ELEMENT_TYPES](#) [LOGGINGLEVEL](#) [UICONS](#)
[TANTS](#) [WEBCONSTANTS](#) [Renderable](#) [UUID](#)

Method Summary

	#addClientInfo (info)
void	Adds a string of client information which gets stored on the server, and can be viewed on the Clients page of Servoy Server Administration Console.
	#beep ()
void	Produces a "beep" sound; commonly used to indicate an error or warning dialog.
Boolean	#closeAllWindows ()
	Close all visible windows (except main application window).
	#closeSolution ([solutionToLoad], [method], [argument])
void	Closes the currently open solution and optionally opens another solution, calling a specified global method with the specified arguments.
Boolean	#createNewFormInstance (designFormName, newInstanceScriptName)
	Create a new form instance.
JSWindow	#createWindow (windowName, type)
	Creates a new window that can be used for displaying forms.
JSWindow	#createWindow (windowName, type, parentWindow)
	Creates a new window that can be used for displaying forms.
String	#executeProgram (programName(fullpath), [arg1], [arg2], [argN], [#], [environmentvar1], [environmentvarN], [startdirectory])
	Execute a program and returns output.
void	#executeProgramInBackground (programName(fullpath), [arg1], [arg2], [argN], [#], [environmentvar1], [environmentvarN], [startdirectory])
	Execute a program in the background.
	#exit ()
void	Stop and exit application.
Number	#getActiveClientCount (currentSolutionOnly)
	Get the active user count on the server (can be limited to current solution).
Number	#getApplicationType ()
	Get the application type.
	#getClientCountForInfo (info)
Number	Gets the count for all clients displaying the same additional information in the Clients page of Servoy Server Administration Console.
String	#getClipboardString ()
	Gets a string from the clipboard, null if not a string or empty.
String	#getCurrentLookAndFeelName ()
	Gets the name of the current Look And Feel specified in Application Preferences.
String	#getHostName ()
	Get the name of the localhost.
String	#getIPAddress ()
	Get the clients' IP address.
String[]	#getLicenseNames ()
	Get the names of the used client licenses (as strings in array).
String	#getOSName ()
	Returns the name of the operating system.
String[]	#getPrinters ()
	Get all the printer names in an array.
Number	#getScreenHeight ()
	Get the screen height in pixels.
Number	#getScreenWidth ()
	Get the screen width in pixels.
Date	#getServerTimeStamp ()
	Returns a date object initialized on server with current date and time.
String	#getServerURL ()
	Gets the HTTP server url.
String	#getSolutionName ()
	Returns the name of the current solution.
Number	#getSolutionRelease ()
	Get the solution release number.
Date	#getTimeStamp ()
	Returns a date object initialized in client with current date and time.
UUID	#getUUID ([uuidStringOrByteArray])
	Get a new UUID object (also known as GUID) or convert the parameter (that can be string or byte array) to an UUID object.
String	#getUserProperty (name)
	Get a persistent user property.

String[]	#getUserPropertyNames() Get all persistent user property names.
Array	#getValueListArray(name) Retrieve a valuelist as array, to get real-values for display-values.
Object	#getValueListDisplayValue(name, realValue) Retrieve a valuelist display-value for a real-value.
JSDataSet	#getValueListItems(name) Get all values from a custom or database type value list as dataset (with columns displayValue,realValue).
String[]	#getValueListNames() Get all the valuelist names as array.
String	#getVersion() Returns the application version.
JSWindow	#getWindow() Get the main application window.
JSWindow	#getWindow(name) Get a window by window name.
Boolean	#isInDeveloper() Returns true if the solution is running in the developer.
Boolean	#isLastPrintPreviewPrinted() Check if the last printpreview did print.
void	#output(msg) Output something on the out stream.
void	#output(msg, level) Output something on the out stream.
void	#overrideStyle(originalStyleName, newStyleName) Overrides one style (defined in in a form) with another.
void	#playSound(url) Play a sound (AU file, an AIFF file, a WAV file, and a MIDI file).
void	#redo() Redo last action (if possible).
void	#removeAllClientInfo() Removes all names given to the client via the admin page.
Boolean	#removeClientInfo(info) Removes a string of client information which is stored on the server and previously was added using the application.
void	#setClipboardContent(string) Sets a string object in the clipboard.
void	#setNumpadEnterAsFocusNextEnabled(enabled) Set if numpad enter should behave like focus next.
void	#setStatusText(text) Set the status area value.
void	#setStatusText(text, tooltip) Set the status area value.
void	#setToolbarVisible(name, visible) Make a toolbar visible or invisible.
Boolean	#setUIProperty(name, value) Sets a UI property.
void	#setUserProperty(name, value) Set a persistent user property.
void	#setValueListItems(name, displayValArray/dataset, [realValuesArray], [autoconvert(false)]) Fill a custom type valuelist with values from array(s) or dataset.
Date	#showCalendar([selecteddate], [dateformat]) Show the calendar, returns selected date or null if canceled.
String	#showColorChooser([colorString]) Show the colorChooser.
String	#showFontChooser([fontString]) Show the font chooser dialog.
void	#showForm(form) Show the form specified by the parameter, that can be a name (is case sensitive!) or a form object.
String	#showI18NDialog([keyToSelect], [languageToSelect]) Opens the i18n dialog so users can change translations.
Boolean	#showURL(url, [webclientTarget], [webclientTargetOptions/timeout], [timeout]) Shows an URL in a browser.
void	#sleep(ms) Sleep for specified time (in milliseconds).
void	#undo() Undo last action (if possible).
void	#updateUI([milliseconds]) Updates the UI (painting).

Method Details

addClientInfo

void **addClientInfo**(info)

Adds a string of client information which gets stored on the server, and can be viewed on the Clients page of Servoy Server Administration Console.

The new piece of client information is added on behalf of the running Servoy client.

This function can be called more than once, if you want to add multiple lines of client information.

NOTE:

This function can also be used with the function `getClientCountForInfo` to count the number of clients with matching additional client information.

Parameters

`{String}` info – A line of text to be added as additional client information on behalf of the running Servoy client.

Returns

void

Sample

```
application.addClientInfo('SaaS company name');
application.addClientInfo('For any issues call +31-SA-AS');
```

beep

void **beep**()

Produces a "beep" sound; commonly used to indicate an error or warning dialog.

Returns

void

Sample

```
application.beep();
```

closeAllWindows

Boolean **closeAllWindows**()

Closes all visible windows (except main application window). Returns true if operation was successful.

Returns

Boolean – Boolean true if all windows were closed and false otherwise.

Sample

```
var win = application.createWindow("aWindowName", JSWindow.WINDOW, null);
win.setInitialBounds(10, 10, 300, 300);
win.title = "This is a window";
controller.show(win);

var win2 = application.createWindow("anotherWindowName", JSWindow.WINDOW, null);
win2.setInitialBounds(100, 100, 300, 300);
win2.title = "This is another window";
controller.show(win2);

var qdialog = plugins.dialogs.showQuestionDialog("QuestionDialog", "Do you want to close the windows?", "Yes", "No");
if (qdialog == "Yes") {
    application.closeAllWindows();
    controller.show(null);
}
```

closeSolution

void **closeSolution**([solutionToLoad], [method], [argument])

Closes the currently open solution and optionally opens another solution, calling a specified global method with the specified arguments.

If the user has been logged in, this function keeps the user logged in and in the newly open solution, the login is skipped and the solution goes straight to the first form.

If you want to go to a different url, you need to call `application.showURL(url)` before calling `application.closeSolution()` (this is only applicable for Web Client).

An alternative option is `security.logout()` which also does a log out for the user (for solutions that require authentication).

Parameters

[solutionToLoad] – Name of the solution to load

[method] – Name of the global method to call

[argument] – Argument passed to the global method

Returns

void

Sample

```
//application.showURL('http://www.servoy.com', '_self'); //Web Client only
application.closeSolution();
//close current solution, open solution 'solution_name', call global method 'global_method_name' with argument
'my_argument'.
//if the user has been logged in, he will stay logged in
//application.closeSolution('solution_name','global_method_name','my_argument');
//Note: specifying a solution will not work in the Developer due to debugger dependencies
//specified solution should be of compatible type with client (normal type or client specific(Smart client only
/Web client only) type )
```

createNewFormInstance

Boolean **createNewFormInstance**(designFormName, newInstanceScriptName)

Create a new form instance.

Parameters

{String} designFormName – Name of the design form

{String} newInstanceScriptName – Name of the new form instance

Returns

Boolean – Boolean (true) if the instance was created succesfully, (false) otherwise

Sample

```
var ok = application.createNewFormInstance('orders','orders_view');
if (ok)
{
    application.showFormInDialog(forms.orders_view)
    //forms['orders_view'].controller.show()
    //forms.xyz.elements.myTabPanel.addTab(forms['orders_view'])
    //forms['orders_view'].elements.mylabel.setLocation(10,20)
}
```

createWindow

JSWindow **createWindow**(windowName, type)

Creates a new window that can be used for displaying forms. Initially the window is not visible.

If there is already a window with the given name, it will be closed and destroyed prior to creating the new window.

Use the form controller show() and showRecords() methods in order to show a form in this window.

Parameters

{String} windowName – the name of the window.

{Number} type – the type of the window. Can be one of JSWindow.DIALOG, JSWindow.MODAL_DIALOG, JSWindow.WINDOW.

Returns

JSWindow – the newly created window.

Sample

```
// create and show a window, with specified title, initial location and size
// type of the window can be one of JSWindow.DIALOG, JSWindow.MODAL_DIALOG, JSWindow.WINDOW
// If parentWindow is not specified, the current window will be used as parent; parentWindow parameter is only
used by dialogs
var win = application.createWindow("windowName", JSWindow.WINDOW);
win.setInitialBounds(10, 10, 300, 300);
win.title = "This is a window";
controller.show(win);
// create and show a non-modal dialog with default initial bounds/title
var nmd = application.createWindow("nonModalDialogName", JSWindow.DIALOG);
controller.showRecords(15, nmd); // 15 is a single-number pk in this case
```

createWindow

JSWindow **createWindow**(windowName, type, parentWindow)

Creates a new window that can be used for displaying forms. Initially the window is not visible.

If there is already a window with the given name, it will be closed and destroyed prior to creating the new window.

Use the form controller show() and showRecords() methods in order to show a form in this window.

Parameters

[{String}](#) `windowName` – the name of the window.

[{Number}](#) `type` – the type of the window. Can be one of `JSWindow.DIALOG`, `JSWindow.MODAL_DIALOG`, `JSWindow.WINDOW`.

[{JSWindow}](#) `parentWindow` – the parent `JSWindow` object. If it is not specified, the current window will be used as parent. This parameter is only used by dialogs.

Returns

[JSWindow](#) – the newly created window.

Sample

```
// create and show a window, with specified title, initial location and size
var win = application.createWindow("windowName", JSWindow.WINDOW);
win.setInitialBounds(10, 10, 300, 300);
win.title = "This is a window";
controller.show(win);
// create and show a non-modal dialog with default initial bounds/title
var nmd = application.createWindow("nonModalDialogName", JSWindow.DIALOG);
controller.showRecords(15, nmd); // 15 is a single-number pk in this case
```

executeProgram

[String](#) **executeProgram**(`programName(fullpath)`, [`arg1`], [`arg2`], [`argN`], [`#`], [`environmentvar1`], [`environmentvarN`], [`startdirectory`])

Execute a program and returns output. Specify the cmd as you would do in a console.

Parameters

`programName(fullpath)` – Name of the program to execute

[`arg1`] – Argument

[`arg2`] – Argument

[`argN`] – Argument

[`#`] – Divider between program environment vars and startdir

[`environmentvar1`] – Environment variable

[`environmentvarN`] – Environment variable

[`startdirectory`] – Program start directory

Returns

[String](#) – The output generated by the program execution.

Sample

```
// "#" is divider between program args, environment vars and startdir
// For Windows systems:
// Runs a binary located in the user's home directory. The application will run in the current working
// directory, which in general is the one where Servoy was started from.
application.executeProgram("c:\\Users\\myself\\myapp.exe", "arg1", "arg2", "arg3");
// The same as above, but run the application in the user's home directory.
application.executeProgram("c:\\Users\\myself\\myapp.exe", "arg1", "arg2", "arg3", "#", "#", "c:
\\Users\\myself\\");
// The same as above, but also set an environment variable for the called program.
application.executeProgram("c:\\Users\\myself\\myapp.exe", "arg1", "arg2", "arg3", "#", "MY_ENV_VAR=something",
"#", "c:\\Users\\myself\\");
// For non-Windows systems:
application.executeProgram("/home/myself/myapp", "arg1", "arg2", "arg3");
application.executeProgram("/home/myself/myapp", "arg1", "arg2", "arg3", "#", "#", "/home/myself/");
application.executeProgram("/home/myself/myapp", "arg1", "arg2", "arg3", "#", "MY_ENV_VAR=something", "#", "
/home/myself/myapp");
// Open a file with the default application associated with it. (on Windows)
application.executeProgram("rundll32.exe", "url.dll,FileProtocolHandler", "filename");
// Open a file with the default application associated with it. (on Linux)
application.executeProgram("xdg-open", "filename");
// Open a file with the default application associated with it. (on MacOS)
application.executeProgram("open", "filename");
// Open a file with a specific application (on MacOS).
application.executeProgram("open", "-a", "OpenOffice.org.app", "filename.doc");
```

executeProgramInBackground

void executeProgramInBackground(`programName(fullpath)`, [`arg1`], [`arg2`], [`argN`], [`#`], [`environmentvar1`], [`environmentvarN`], [`startdirectory`])

Execute a program in the background. Specify the cmd as you would do in a console.

Parameters

programName(fullpath) – Name of the program to execute

[arg1] – Argument

[arg2] – Argument

[argN] – Argument

[#] – Divider between program environment vars and startdir

[environmentvar1] – Environment variable

[environmentvarN] – Environment variable

[startdirectory] – Program start directory

Returns

void

Sample

```
// "#" is divider between program args, environment vars and startdir
// For Windows systems:
// Runs a binary located in the user's home directory. The application will run in the current working
// directory, which in general is the one where Servoy was started from.
application.executeProgramInBackground("c:\\Users\\myself\\myapp.exe", "arg1", "arg2", "arg3");
// The same as above, but run the application in the user's home directory.
application.executeProgramInBackground("c:\\Users\\myself\\myapp.exe", "arg1", "arg2", "arg3", "#", "#", "c:
\\Users\\myself\\");
// The same as above, but also set an environment variable for the called program.
application.executeProgramInBackground("c:\\Users\\myself\\myapp.exe", "arg1", "arg2", "arg3", "#",
"MY_ENV_VAR=something", "#", "c:\\Users\\myself\\");
// For non-Windows systems:
application.executeProgramInBackground("/home/myself/myapp", "arg1", "arg2", "arg3");
application.executeProgramInBackground("/home/myself/myapp", "arg1", "arg2", "arg3", "#", "#", "/home/myself
/");
application.executeProgramInBackground("/home/myself/myapp", "arg1", "arg2", "arg3", "#",
"MY_ENV_VAR=something", "#", "/home/myself/myapp");
// Open a file with the default application associated with it. (on Windows)
application.executeProgramInBackground("rundll32.exe", "url.dll,FileProtocolHandler", "filename");
// Open a file with the default application associated with it. (on Linux)
application.executeProgramInBackground("xdg-open", "filename");
// Open a file with the default application associated with it. (on MacOS)
application.executeProgramInBackground("open", "filename");
// Open a file with a specific application (on MacOS).
application.executeProgramInBackground("open", "-a", "OpenOffice.org.app", "filename.doc");
```

exit

void **exit()**

Stop and exit application.

Returns

void

Sample

```
// exit application
application.exit();
```

getActiveClientCount

Number **getActiveClientCount**(currentSolutionOnly)

Get the active user count on the server (can be limited to current solution).

Parameters

{**Boolean**} currentSolutionOnly – Boolean (true) to get the active user count on server only to the current solution

Returns

Number – Active user count on the server

Sample

```
var count = application.getActiveClientCount(true);
```

getApplicationType

Number **getApplicationType**()

Get the application type.

Returns

Number – Constant application type

Sample

```
var type = application.getApplicationType();  
//see application type constant
```

getClientCountForInfo

Number **getClientCountForInfo**(info)

Gets the count for all clients displaying the same additional information in the Clients page of Servoy Server Administration Console.

Parameters

{String} info – The additional client info string to search for.

Returns

Number – Number of clients

Sample

```
var count = application.getClientCountForInfo('SaaS company name');  
application.output('Including yourself, there are ' + count + ' client(s) running on behalf of the company.');
```

getClipboardString

String **getClipboardString**()

Gets a string from the clipboard, null if not a string or empty.

Returns

String – The string from the clipboard

Sample

```
var fromClipboard = application.getClipboardString();
```

getCurrentLookAndFeelName

String **getCurrentLookAndFeelName**()

Gets the name of the current Look And Feel specified in Application Preferences.

Returns

String – Current Look And Feel

Sample

```
var laf = application.getCurrentLookAndFeelName();
```

getHostName

String **getHostName**()

Get the name of the localhost.

Returns

String – Name of the localhost

Sample

```
var hostName = application.getHostName();
```

getIPAddress

String **getIPAddress**()

Get the clients' IP address.

Returns

String – IP address of the client

Sample

```
var ip = application.getIPAddress();
```

getLicenseNames

String[] **getLicenseNames**()

Get the names of the used client licenses (as strings in array).

Returns

String[] – Client licenses names

Sample

```
var array = application.getLicenseNames();
```

getOSName

String **getOSName()**

Returns the name of the operating system.

Returns

String – Name of the operating system

Sample

```
var osname = application.getOSName();
```

getPrinters

String[] **getPrinters()**

Get all the printer names in an array.

Returns

String[] – All printer names

Sample

```
var printersArray = application.getPrinters();
```

getScreenHeight

Number **getScreenHeight()**

Get the screen height in pixels.

Returns

Number – Screen height

Sample

```
var height = application.getScreenHeight();
```

getScreenWidth

Number **getScreenWidth()**

Get the screen width in pixels.

Returns

Number – Screen width

Sample

```
var width = application.getScreenWidth();
```

getServerTimeStamp

Date **getServerTimeStamp()**

Returns a date object initialized on server with current date and time.

Returns

Date – Server time

Sample

```
var servertime = application.getServerTimeStamp();
```

getServerURL

String **getServerURL()**

Gets the HTTP server url.

Returns

String – HTTP server URL

Sample

```
var url = application.getServerURL();
```

getSolutionName

String **getSolutionName()**

Returns the name of the current solution.

Returns

String – Current solution name

Sample

```
var solutionName = application.getSolutionName();
```

getSolutionRelease

Number **getSolutionRelease()**

Get the solution release number.

Returns

Number – Current solution release number

Sample

```
var release = application.getSolutionRelease();
```

getTimeStamp

Date **getTimeStamp()**

Returns a date object initialized in client with current date and time.

Returns

Date – Current time at the client

Sample

```
var clienttime = application.getTimeStamp();
```

getUUID

UUID **getUUID**([uuidStringOrByteArray])

Get a new UUID object (also known as GUID) or convert the parameter (that can be string or byte array) to an UUID object. A table column marked as UUID will work with such objects.

Parameters

[uuidStringOrByteArray] – String or byte array representing an uuid

Returns

UUID – The new UUID object

Sample

```
var new_uuid_object = application.getUUID(); // generate new uuid object
var uuid_object1 = application.getUUID(new_uuid_object.toString()); // convert a string representing an uuid to
an uuid object
var uuid_object2 = application.getUUID(new_uuid_object.toBytes()); // convert a byte array representing an
uuid to an uuid object
```

getUserProperty

String **getUserProperty**(name)

Get a persistent user property.

Parameters

{**String**} name – Name of the property

Returns

String – Property value

Sample

```
var value = application.getUserProperty('showOrders');
```

getUserPropertyNames

String[] **getUserPropertyNames()**

Get all persistent user property names.

Returns

String[] – Array of all user property names

Sample

```
// display all user properties
allPropertyNames = application.getUserPropertyNames();
for(var i = 0; i < allPropertyNames.length; i++)
    application.output(allPropertyNames[i] + " = " + application.getUserProperty(allPropertyNames[i]));
```

getValueListArray

Array **getValueListArray(name)**

Retrieve a valuelist as array, to get real-values for display-values.

NOTE: this doesn't return a value for a valuelist that depends on a database relation or is a global method valuelist.

Parameters

{String} name – The name of the valuelist

Returns

Array – Named array for the valuelist

Sample

```
var packet_types = application.getValueListArray('packet_types');
if (a_realValue == packet_types['displayValue'])
{
}
```

getValueListDisplayValue

Object **getValueListDisplayValue(name, realValue)**

Retrieve a valuelist display-value for a real-value.

NOTE: this doesn't return a value for a valuelist that depends on a database relation or is a global method valuelist.

Parameters

{String} name – Name of the valuelist

{Object} realValue – Real value of the valuelist

Returns

Object – Display value of the real value from the valuelist

Sample

```
var displayable_status = application.getValueListDisplayValue('case_status',status);
```

getValueListItems

JSDataSet **getValueListItems(name)**

Get all values from a custom or database type value list as dataset (with columns displayValue,realValue).

NOTE: this doesn't return a value for a valuelist that depends on a database relation or is a global method valuelist.

Parameters

{String} name – Name of the valuelist

Returns

JSDataSet – DataSet with valuelist's display values and real values

Sample

```
//Note:see databaseManager.JSDataSet for full details of dataset
var dataset = application.getValueListItems('my_en_types');
//example to calc a strange total
global_total = 0;
for( var i = 1 ; i <= dataset.getMaxRowIndex() ; i++ )
{
    global_total = global_total + dataset.getValue(i,1);
}
//example to assign to dataprovider
//employee_salary = dataset.getValue(1,1)
```

getValueListNames

String[] **getValueListNames()**

Get all the valuelist names as array.

Returns

[String](#)[] – Array with all valuelist names

Sample

```
var array = application.getValueListNames();
```

getVersion

[String](#) **getVersion()**

Returns the application version.

Returns

[String](#) – Application version

Sample

```
application.getVersion();
```

getWindow

[JSWindow](#) **getWindow()**

Get the main application window.

Returns

[JSWindow](#) – the main application JSWindow.

Sample

```
// close and dispose window resources  
var mainAppWindow = application.getWindow();
```

getWindow

[JSWindow](#) **getWindow(name)**

Get a window by window name. When not supplying a name, the main application window is grabbed.

Parameters

{[String](#)} name – the name of the window. If not specified, the main application JSWindow will be returned.

Returns

[JSWindow](#) – the JSWindow with the specified name, or null if no such window exists.

Sample

```
// close and dispose window resources  
var win = application.getWindow("someWindowName");  
if (win != null) {  
    win.destroy();  
}
```

isInDeveloper

[Boolean](#) **isInDeveloper()**

Returns true if the solution is running in the developer.

Returns

[Boolean](#) – Boolean (true) if the solution is running in the developer, (false) otherwise

Sample

```
var flag = application.isInDeveloper();
```

isLastPrintPreviewPrinted

[Boolean](#) **isLastPrintPreviewPrinted()**

Check if the last printpreview did print.

Returns

[Boolean](#) – Boolean (true) is the last print preview did print, (false) otherwise

Sample

```
//attached this method to onShow on the form being shown after printpreview
//set a global called globals.showPrintPreview to 1 in the onPrintPreview method
if (globals.showPrintPreview == 1)
{
globals.showPrintPreview = 0;//clear for next time
    if (application.isLastPrintPreviewPrinted())
    {
        plugins.dialogs.showInfoDialog('Alert', 'There is printed in printpreview', 'OK')
    }
}
```

output

void **output**(msg)

Output something on the out stream. (if running in debugger view output console tab)

Parameters

{Object} msg – Object to send to output stream

Returns

void

Sample

```
// log level is used to determine how/if to log in servoy_log.txt; for smart client java out and err streams
are used
application.output('my very important trace msg');// default log level: info
```

output

void **output**(msg, level)

Output something on the out stream. (if running in debugger view output console tab)

Parameters

{Object} msg – Object to send to output stream

{Number} level – the log level where it should log to.

Returns

void

Sample

```
// log level is used to determine how/if to log in servoy_log.txt; for smart client java out and err streams
are used
application.output('my very important msg',LOGGINGLEVEL.ERROR);// log level: error
```

overrideStyle

void **overrideStyle**(originalStyleName, newStyleName)

Overrides one style (defined in in a form) with another.

Parameters

{String} originalStyleName – Name of the style to override

{String} newStyleName – Name of the new style

Returns

void

Sample

```
//This function will only have effect on forms not yet created, so solution onLoad is the best place to
override'
//For example overriding the use of default/designed style anywhere in the solution from 'mystyle' to
'mystyle_mac'
application.overrideStyle('mystyle','mystyle_mace')//in this case both styles should have about the same classes
```

playSound

void **playSound**(url)

Play a sound (AU file, an AIFF file, a WAV file, and a MIDI file).

Parameters

{String} url – URL of the sound file

Returns

void

Sample

```
application.playSound('media:///click.wav');
```

redo

void **redo()**

Redo last action (if possible).

Returns

void

Sample

```
application.redo();
```

removeAllClientInfo

void **removeAllClientInfo()**

Removes all names given to the client via the admin page.

Returns

void

Sample

```
application.removeAllClientInfo();
```

removeClientInfo

Boolean removeClientInfo(info)

Removes a string of client information which is stored on the server and previously was added using the application.addClientInfo('client info')

This function can be called more than once, if you want to delete multiple lines of client information.

Parameters

{**String**} info – A line of text to be removed from the client information on behalf of the running Servoy client.

Returns

Boolean – boolean indicator if info was removed successfully

Sample

```
var removed = application.removeClientInfo('SaaS company name');
```

setClipboardContent

void **setClipboardContent**(string)

Sets a string object in the clipboard.

Parameters

{**Object**} string – New content of the clipboard

Returns

void

Sample

```
application.setClipboardContent('test');
```

setNumpadEnterAsFocusNextEnabled

void **setNumpadEnterAsFocusNextEnabled**(enabled)

Set if numpad enter should behave like focus next.

Parameters

{**Boolean**} enabled – Boolean (true) if numpad enter should behave like focus next

Returns

void

Sample

```
application.setNumpadEnterAsFocusNextEnabled(true);
```

setStatusText

void **setStatusText**(text)

Set the status area value.

Parameters

{String} text – New status text

Returns

void

Sample

```
application.setStatusText('Your status text');
```

setStatusText

void **setStatusText**(text, tooltip)

Set the status area value.

Parameters

{String} text – New status text

{String} tooltip – Status tooltip text

Returns

void

Sample

```
application.setStatusText('Your status text','Your status tooltip text');
```

setToolbarVisible

void **setToolbarVisible**(name, visible)

Make a toolbar visible or invisible.

Parameters

{String} name – Name of the toolbar

{Boolean} visible – Visibility of the toolbar

Returns

void

Sample

```
//example: hide the text toolbar
application.setToolbarVisible('text',false);
```

setUIProperty

Boolean **setUIProperty**(name, value)

Sets a UI property.

Parameters

{Object} name – Name of the UI property

{Object} value – New value of the UI property

Returns

Boolean – Boolean (true) if the UI property was set with the new value

Sample

```
//Only use this function from the solution on open method!
//In smart client, use this to set javax.swing.UIDefaults properties.
application.setUIProperty('ToolTip.hideAccelerator', true)
//To change the comboboxes selection background color, do this:
application.setUIProperty('ComboBox.selectionBackground', new Packages.java.awt.ColorUIResource(java.awt.Color.RED))

//In web client, use this to change the template directory.
//To change the default dir of templates/default to templates/green_skin, do this:
application.setUIProperty('templates.dir','green_skin');
```

setUserProperty

void **setUserProperty**(name, value)

Set a persistent user property.

Parameters

[String](#) name – Name of the user property

[String](#) value – New value of the user property

Returns

void

Sample

```
application.setUserProperty('showOrders','1');
```

setValueListItems

void **setValueListItems**(name, displayValArray/dataset, [realValuesArray], [autoconvert(false)])

Fill a custom type valuelist with values from array(s) or dataset.

Parameters

name – Name of the valuelist

displayValArray/dataset – Display values array or DataSet

[realValuesArray] – Real values array

[autoconvert(false)] – Boolean (true) if display values and return values should be converted to numbers

Returns

void

Sample

```
//set display values (return values will be same as display values)
application.setValueListItems('my_en_types',new Array('Item 1', 'Item 2', 'Item 3'));
//set display values and return values (which are stored in dataprovider)
//application.setValueListItems('my_en_types',new Array('Item 1', 'Item 2', 'Item 3'),new Array
(10000,10010,10456));
//set display values and return values converted to numbers
//application.setValueListItems('my_en_types',new Array('Item 1', 'Item 2', 'Item 3'),new Array
('10000','10010', '10456'), true);
//do query and fill valuelist (see databaseManager for full details of queries/dataset)
//var query = 'select display_value,optional_real_value from test_table';
//var dataset = databaseManager.getDataSetByQuery(databaseManager.getDataSourceServerName(controller.
getDataSource()), query, null, 25);

//application.setValueListItems('my_en_types',dataset);
```

showCalendar

[Date](#) **showCalendar**([selecteddate], [dateformat])

Show the calendar, returns selected date or null if canceled.

Parameters

[selecteddate] – Default selected date

[dateformat] – Date format

Returns

[Date](#) – Selected date or null if canceled

Sample

```
var selectedDate = application.showCalendar();
```

showColorChooser

[String](#) **showColorChooser**([colorString])

Show the colorChooser. Returned value is in format #RRGGBB or null if canceled.

Parameters

[colorString] – Default color

Returns

[String](#) – selected color or null if canceled

Sample

```
var selectedColor = application.showColorChooser();
```

showFontChooser

[String](#) **showFontChooser**([fontString])

Show the font chooser dialog. Returns the selected font.

Parameters

[fontString] – Default font

Returns

[String](#) – selected font

Sample

```
var selectedFont = application.showFontChooser();
elements.myfield.font = selectedFont
```

showForm

void **showForm**(form)

Show the form specified by the parameter, that can be a name (is case sensitive!) or a form object.

Parameters

[Object](#) form – Form object or name

Returns

void

Sample

```
application.showForm( 'MyForm' );
```

showI18NDialog

[String](#) **showI18NDialog**([keyToSelect], [languageToSelect])

Opens the i18n dialog so users can change translations. Returns the key selected by the user (not it's translation) or null if cancel is pressed. Optional parameters specify the initial selections in the dialog.

Parameters

[keyToSelect] – Default selected key

[languageToSelect] – Default selected language

Returns

[String](#) – selected I18N key or null if cancel is pressed

Sample

```
application.showI18NDialog( "servoy.button.close", "en" );
```

showURL

[Boolean](#) **showURL**(url, [webclientTarget], [webclientTargetOptions/timeout], [timeout])

Shows an URL in a browser.

Parameters

url – URL to show

[webclientTarget] – Target frame or named dialog/window

[webclientTargetOptions/timeout] – Dialog options used when a dialog is specified / a timeout in seconds when the url should be shown

[timeout] – A timeout in seconds when the url should be shown

Returns

[Boolean](#) – Boolean (true) if URL was shown

Sample

```
application.showURL( 'http://www.example.com' );

//webclient specific additional parameters...
//2nd parameter: target frame or named dialog/window, so its possible to control in which (internal) frame or
dialog the url is loaded, '_self' is current window, '_blank' is new dialog, '_top' is main window
//3rd parameter: dialog options used when a dialog is specified, example: 'height=200,width=400,status=yes,
toolbar=no,menubar=no,location=no'
//3th or 4th parameter: a timeout in seconds when the url should be shown, immediantly/0 is default'
```

sleep

void **sleep**(ms)

Sleep for specified time (in milliseconds).

Parameters

[Number](#) ms – Sleep time in milliseconds

Returns

void

Sample

```
//Sleep for 3 seconds  
application.sleep(3000);
```

undo

void **undo**()

Undo last action (if possible).

Returns

void

Sample

```
application.undo();
```

updateUI

void **updateUI**([milliseconds])

Updates the UI (painting). If in a script an element changed and the script continues doing things, you can give an number in ms how long this can take.

Parameters

[milliseconds] – How long the update should take in milliseconds

Returns

void

Sample

```
application.updateUI(500);  
//continue doing things
```