

---

# Troubleshooting Tips and Tricks

---

Below are some troubleshooting tips and tricks when working with Servoy.

---

## In This Chapter

---

- [General Log File](#)
- [Improving Slow Performance/Out of Memory Errors](#)
- [Manual Cleanup of Memory](#)
- [OSX: Gray Screens on Startup](#)
- [Crashes in Linux](#)
- [OSX: Debugging & Dialogs](#)
- [OSX: Servoy Developer On Java 7](#)
- [Issues with the Form Editor for Servoy Mobile in Servoy 7.4](#)
- [Issues with the Internal Browser](#)

---

## General Log File

---

The output of Servoy Developer/Eclipse is written in `currentWorkspaceDirectory/.metadata/.log`. Note that on some operating systems the `.XXX` directories/files are hidden by default.

---

## Improving Slow Performance/Out of Memory Errors

---

When experiencing slow performance or out of memory errors, the maximum value for the memory that Servoy Developer is allowed to use can be increased. See [Increasing Memory Allocations](#).

---

## Manual Cleanup of Memory

---

At the bottom of the Servoy Developer window is a indicator that says how much memory is used. The first number is what is actually used by the active process, and the second number is how much of the maximum value is currently allocated to Servoy Developer.

Users can click the Garbage can icon clicked to trigger a cleanup of the memory. This action is typically not necessary, because Java does this automatically, but it may be performed on command as needed.

---

## OSX: Gray Screens on Startup

---

Users on OSX sometimes experience gray screens when launching Servoy Developer. This is due to issues in the Java Runtime environment on OSX, which cannot be worked around. The best remedy is to close all editors before shutting down Servoy/Eclipse.

---

## Crashes in Linux

---

Linux users have been experiencing complete freezes or crashes of Servoy Developer when using Java 6. Reverting to Java 5 fixes this problem.

---

## OSX: Debugging & Dialogs

---

Due to an incorrect implementation inside Java on OSX, it is not possible to debug when dialogs are being shown in the Debug Client. Any breakpoint set will be ignored. Unfortunately, there is no workaround, except using a different platform.

---

## OSX: Servoy Developer On Java 7

---

See [Running Servoy Developer on Java 7 on MAC OSX](#)

---

## Issues with the Form Editor for Servoy Mobile in Servoy 7.4

---

The newly introduced Form editor in Servoy 7.4 for Servoy Mobile makes use of the internal browser component of the Eclipse environment. This internal browser component wraps the browser that the operating system ships with, so Internet Explorer on Windows, Safari on OSX. When experiencing issues with the Mobile Form Editor, the first step is to replace the default browser with the Mozilla XulRunner browser component. See [Install Mozilla XulRunner as internal browser](#) for the steps involved.

---

## Issues with the Internal Browser

---

Servoy Developer uses the internal browser component of the Eclipse environment in several places, like the Developer StartPage and the HTML-based Form Editor for servoy Mobile, introduced in Servoy 7.4. when experiencing issues with in the area's of Servoy Developer that utilize the internal browser, first install the Mozilla XulRunner browser component, to replace the default browser. See [Install Mozilla XulRunner as internal browser](#) for the steps involved.