

# Bean

## Property Summary

Number	<a href="#">anchors</a> Enables a component to stick to a specific side of form and/or to grow or shrink when a window is resized.
Object	<a href="#">designTimeProperties</a> Property to get and add design-time properties for a component.
Boolean	<a href="#">enabled</a> The enable state of the component, default true.
Number	<a href="#">formIndex</a>
String	<a href="#">location</a> The x and y position of the component, in pixels, separated by a comma.
String	<a href="#">name</a> The name of the component.
Boolean	<a href="#">printable</a> Flag that tells if the component should be printed or not when the form is printed.
String	<a href="#">size</a> The width and height (in pixels), separated by a comma.
Number	<a href="#">tabSeq</a> An index that specifies the position of the component in the tab sequence.
Boolean	<a href="#">visible</a> The visible property of the component, default true.

## Property Details

### anchors

Enables a component to stick to a specific side of form and/or to grow or shrink when a window is resized.

If opposite anchors are activated then the component will grow or shrink with the window. For example if Top and Bottom are activated, then the component will grow/shrink when the window is vertically resized. If Left and Right are activated then the component will grow/shrink when the window is horizontally resized.

If opposite anchors are not activated, then the component will keep a constant distance from the sides of the window which correspond to the activated anchors.

### Returns

[Number](#)

### designTimeProperties

Property to get and add design-time properties for a component.

### Returns

[Object](#) - map of the design-time properties

### enabled

The enable state of the component, default true.

### Returns

[Boolean](#) - enabled state

### formIndex

### Returns

[Number](#)

### location

The x and y position of the component, in pixels, separated by a comma.

### Returns

[String](#)

### name

---

The name of the component. Through this name it can also accessed in methods.

**Returns**

[String](#)

**printable**

Flag that tells if the component should be printed or not when the form is printed.

By default components are printable.

**Returns**

[Boolean](#)

**size**

The width and height (in pixels), separated by a comma.

**Returns**

[String](#)

**tabSeq**

An index that specifies the position of the component in the tab sequence. The components are put into the tab sequence in increasing order of this property. A value of 0 means to use the default mechanism of building the tab sequence (based on their location on the form). A value of -2 means to remove the component from the tab sequence.

**Returns**

[Number](#)

**visible**

The visible property of the component, default true.

**Returns**

[Boolean](#) - visible property