

RelationInfo

Method Summary

void **setLabel(label)**
 Sets the label of a relation info object used to set multiple child relations for a tree node.

void **setNRelationName(relationName)**
 Sets the name of a relation info object used to set multiple child relations for a tree node.

Method Details

setLabel

void **setLabel (label)**
 Sets the label of a relation info object used to set multiple child relations for a tree node.

Parameters

{String} label

Returns

void

Sample

```
var companies_binding = elements.myDbTreeView.createBinding('example_data', 'companies');
var company_relations = new Array();
company_relations[0] = elements.myDbTreeView.createRelationInfo();
company_relations[0].setLabel('Employees');
company_relations[0].setNRelationName('companies_to_employees');
companies_binding.setNRelationInfos(company_relations);
```

setNRelationName

void **setNRelationName (relationName)**
 Sets the name of a relation info object used to set multiple child relations for a tree node.

Parameters

{String} relationName

Returns

void

Sample

```
var companies_binding = elements.myDbTreeView.createBinding('example_data', 'companies');
var company_relations = new Array();
company_relations[0] = elements.myDbTreeView.createRelationInfo();
company_relations[0].setLabel('Employees');
company_relations[0].setNRelationName('companies_to_employees');
companies_binding.setNRelationInfos(company_relations);
```