Bean

Property Summary

| Number | anchors Enables a component to stick to a specific side of form and/or to grow or shrink when a window is resized. |
|---------|--|
| Object | designTimeProperties Property to get and add design-time properties for a component. |
| Boolean | enabled The enable state of the component, default true. |
| Number | formIndex |
| String | location The x and y position of the component, in pixels, separated by a comma. |
| String | name The name of the component. |
| Boolean | printable Flag that tells if the component should be printed or not when the form is printed. |
| String | size The width and height (in pixels), separated by a comma. |
| Number | tabSeq An index that specifies the position of the component in the tab sequence. |
| Boolean | visible The visible property of the component, default true. |
| | |

Property Details

anchors

Enables a component to stick to a specific side of form and/or to grow or shrink when a window is resized.

If opposite anchors are activated then the component with grow or shrink with the window. For example if Top and Bottom are activated, then the component will grow/shrink when the window is vertically resized. If Left and Right are activated then the component will grow/shrink when the window is horizontally resized.

If opposite anchors are not activated, then the component will keep a constant distance from the sides of the window which correspond to the activated anchors.

Returns

Number

designTimeProperties

Property to get and add design-time properties for a component.

Returns

Object - map of the design-time properties

enabled

The enable state of the component, default true. Returns

Boolean - enabled state

formIndex

Returns

Number

location

The x and y position of the component, in pixels, separated by a comma.

Returns

String

name

String

printable

Flag that tells if the component should be printed or not when the form is printed.

By default components are printable.

Returns

Boolean

size

The width and height (in pixels), separated by a comma.

Returns

String

tabSeq

An index that specifies the position of the component in the tab sequence. The components are put into the tab sequence in increasing order of this property. A value of 0 means to use the default mechanism of building the tab sequence (based on their location on the form). A value of -2 means to remove the component from the tab sequence.

Returns

Number

visible

The visible property of the component, default true.

Returns

Boolean - visible property