TabPanel



Apr 03, 2024 13:09

Supported Clients

SmartClient WebClient NGClient

Property Summary

Number anchors Enables a component to stick to a specific side of form and/or to grow or shrink when a

Thecss position of the component.

window is resized.

String background The background color of the component.

borderType The type, color and style of border of the component. String

String comment **CSSPosition** cssPosition

designTimeProperties Object Property to get and add design-time properties for a component.

The enable state of the component, default true. **Boolean** enabled

The font type of the component. String fontType String foreground The foreground color of the component.

Form index returns the z-index of the form element. Number formIndex

Number horizontalAlignment The horizontal alignment of the tabpanel.

String location The x and y position of the component, in pixels, separated by a comma.

String name The name of the component.

Enables an element to resize based on its content and/or move when printing. Number printSliding **Boolean** printable Flag that tells if the component should be printed or not when the form is printed.

Boolean scrollTabs Flag that tells how to arrange the tabs if they don't fit on a single line.

String size The width and height (in pixels), separated by a comma.

String styleClass The name of the style class that should be applied to this component.

Number tabOrientation The position of the tabs related to the tab panel.

Number tabSeq An index that specifies the position of the component in the tab sequence.

Boolean Flag that tells if the component is transparent or not. transparent Boolean visible The visible property of the component, default true.

Event Summary

Method to be executed when the selected tab is changed in the tab panel or divider void onChange(previousIndex, event)

position is changed in split pane.

Property Details

anchors

Enables a component to stick to a specific side of form and/or to grow or shrink when a window is resized.

If opposite anchors are activated then the component with grow or shrink with the window. For example if Top and Bottom are activated, then the component will grow/shrink when the window is vertically resized. If Left and Right are activated then the component will grow/shrink when the window is horizontally resized.

If opposite anchors are not activated, then the component will keep a constant distance from the sides of the window which correspond to the activated anchors.

Returns

Number

Supported Clients

SmartClient, WebClient, NGClient

Sample

background

The background color of the component.

Returns

String

Supported Clients

SmartClient,WebClient,NGClient

Sample

borderType

The type, color and style of border of the component.

Returns

String

Supported Clients

SmartClient, WebClient, NGClient

Sample

comment

Returns

String

Supported Clients

SmartClient, WebClient, NGClient

Sample

cssPosition

Thecss position of the component.

Returns

CSSPosition

Supported Clients

SmartClient, WebClient, NGClient

Sample

designTimeProperties

Property to get and add design-time properties for a component.

Returns

Object map of the design-time properties

Supported Clients

SmartClient,WebClient,NGClient

Sample

enabled

The enable state of the component, default true.

Returns

Boolean enabled state

Supported Clients

SmartClient, WebClient, NGClient

Sample

fontType

The font type of the component.

Returns

String

Supported Clients

SmartClient, WebClient, NGClient

Sample

foreground

The foreground color of the component.

Returns

String

Supported Clients

SmartClient, WebClient, NGClient

Sample

formIndex

Form index returns the z-index of the form element. If two elements overlap, then the element with higher Z index is displayed above the form element with lower Z index. In case of form inheritance, form index is evaluated in the context (form) where property is defined. Elements which have child form as context will always be on top of elements which have parent form. If element is overridden in child form but form index property is still inherited its context is still parent form.

Returns

Number

Supported Clients

SmartClient, WebClient, NGClient

Sample

horizontalAlignment

The horizontal alignment of the tabpanel.

Returns

Number

Supported Clients

SmartClient, WebClient, NGClient

Sample

location

The x and y position of the component, in pixels, separated by a comma.

Returns

String

Supported Clients

SmartClient, WebClient, NGClient

Sample

name

The name of the component. Through this name it can also accessed in methods. Must be a valid javascript name. (no - in the name or start with number)

Returns

String

Supported Clients

SmartClient, WebClient, NGClient

Sample

printSliding

Enables an element to resize based on its content and/or move when printing. The component can move horizontally or vertically and can grow or shrink in height and width, based on its content and the content of neighboring components.

Returns

Number

Supported Clients

SmartClient, WebClient

Sample

printable

Flag that tells if the component should be printed or not when the form is printed.

By default components are printable.

Returns

Boolean

Supported Clients

SmartClient, WebClient

Sample

scrollTabs

Flag that tells how to arrange the tabs if they don't fit on a single line. If this flag is set, then the tabs will stay on a single line, but there will be the possibility to scroll them to the left and to the right. If this flag is not set, then the tabs will be arranged on multiple lines.

Returns

Boolean

Supported Clients

SmartClient, WebClient, NGClient

Sample

size

The width and height (in pixels), separated by a comma.

Returns

String

Supported Clients

SmartClient,WebClient,NGClient

Sample

styleClass

The name of the style class that should be applied to this component.

When defining style classes for specific component types, their names must be prefixed according to the type of the component. For example in order to define a class names 'fancy' for fields, in the style definition the class must be named 'field.fancy'. If it would be intended for labels, then it would be named 'label.fancy'. When specifying the class name for a component, the prefix is dropped however. Thus the field or the label will have its styleClass property set to 'fancy' only.

Returns

String

Supported Clients

SmartClient,WebClient,NGClient

Sample

tabOrientation

The position of the tabs related to the tab panel. Can be one of TOP, RIGHT, BOTTOM, LEFT, HIDE, SPLIT_HORIZONTAL, SPLIT_VERTICAL, ACCORDION_PANEL. The HIDE option makes the tabs invisible, SPLIT_HORIZONTAL makes the tab panel horizontal split pane, SPLIT_VERTICAL makes the tab panel vertical split pane, ACCORDION_PANEL turns the tab panel into an accordion.

Returns

Number

Supported Clients

SmartClient, WebClient, NGClient

Sample

tabSeq

An index that specifies the position of the component in the tab sequence. The components are put into the tab sequence in increasing order of this property. A value of 0 means to use the default mechanism of building the tab sequence (based on their location on the form). A value of -2 means to remove the component from the tab sequence.

Returns

Number

Supported Clients

SmartClient, WebClient, NGClient

Sample

transparent

Flag that tells if the component is transparent or not. The default value is "false", that is the components are not transparent.

Returns

Boolean

Supported Clients

SmartClient, WebClient, NGClient

Sample

visible

The visible property of the component, default true.

Returns

Boolean visible property

Supported Clients

SmartClient, WebClient, NGClient

Sample

Event Details

onChange(previousIndex, event)

Method to be executed when the selected tab is changed in the tab panel or divider position is changed in split pane.

Parameters

Number previousIndex index of tab shown before the change JSEvent event the event that triggered the action

Supported Clients

SmartClient,WebClient,NGClient

Sample